


LONE STAR SERIES

GVWR 24,000#

RANCH KING
TRAILERS

Standard Dimensions = 20' + 5'
GNLS25 * 24DKC2LP
DUAL TANDEM * 10K HD AXLES



SPECIFICATIONS

AXLES:	(2) 10000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/80/R16 E-RATED 10 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$17,719

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY


WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 24,000#

RANCH KING
TRAILERS

Standard Dimensions = 25' + 5'
GNLS30★24DKC2LP
DUAL TANDEM ★ 10K HD AXLES



SPECIFICATIONS

AXLES:	(2) 10000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/80/R16 E-RATED 10 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$18,965

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY


WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 24,000#

RANCH KING
TRAILERS

Standard Dimensions = 27' + 5'
GNLS32 * 24DKC2LP
DUAL TANDEM * 10K HD AXLES



SPECIFICATIONS

AXLES:	(2) 10000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/80/R16 E-RATED 10 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$19,296

PRICE INCLUDES SPARE TIRE



INTRODUCING THE NEW KING RAMP

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY


WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 24,000#

RANCH KING
TRAILERS

Standard Dimensions = 31' + 5'
GNLS36★24DKC2LP
DUAL TANDEM ★ 10K HD AXLES



SPECIFICATIONS

AXLES:	(2) 10000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/80/R16 E-RATED 10 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$19,875

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY


WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 24,000#

RANCH KING
TRAILERS

Standard Dimensions = 35' + 5'
GNLS40★24DKC2LP
DUAL TANDEM ★ 10K HD AXLES



SPECIFICATIONS

AXLES:	(2) 10000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/80/R16 E-RATED 10 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$21,315

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 26,000#

RANCH KING
TRAILERS

Standard Dimensions = 20' + 5'
GNLS25★26DKC2LP
DUAL TANDEM ★ 12K AXLES



SPECIFICATIONS

AXLES:	(2) 12000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/85/R16 E-RATED 14 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$21,634

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 26,000#

RANCH KING
TRAILERS

Standard Dimensions = 25' + 5'
GNLS30★26DKC2LP
DUAL TANDEM ★ 12K AXLES



SPECIFICATIONS

AXLES:	(2) 12000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/85/R16 E-RATED 14 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$22,326

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 26,000#

RANCH KING
TRAILERS

Standard Dimensions = 27' + 5'
GNLS32 ★ 26DKC2LP
DUAL TANDEM ★ 12K AXLES



SPECIFICATIONS

AXLES:	(2) 12000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/85/R16 E-RATED 14 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$22,611

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 26,000#

RANCH KING
TRAILERS

Standard Dimensions = 31' + 5'
GNLS36★26DKC2LP
DUAL TANDEM ★ 12K AXLES



SPECIFICATIONS

AXLES:	(2) 12000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/85/R16 E-RATED 14 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$23,190

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 26,000#

RANCH KING
TRAILERS

Standard Dimensions = 35' + 5'
GNLS40★26DKC2LP
DUAL TANDEM ★ 12K AXLES



SPECIFICATIONS

AXLES:	(2) 12000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	235/85/R16 E-RATED 14 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	16" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$24,940

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 30,000#

RANCH KING
TRAILERS

Standard Dimensions = 20' + 5'
GNLS25★30DKC2LP
DUAL TANDEM ★ 15K AXLES



SPECIFICATIONS

AXLES:	(2) 15000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	215/75/R17.5 H-RATED 16 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	17.5" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$29,928

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 30,000#

RANCH KING
TRAILERS

Standard Dimensions = 25' + 5'
GNLS30★30DKC2LP
DUAL TANDEM ★ 15K AXLES



SPECIFICATIONS

AXLES:	(2) 15000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	215/75/R17.5 H-RATED 16 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	17.5" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$30,620

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 30,000#

RANCH KING
TRAILERS

Standard Dimensions = 27' + 5'
GNLS32★30DKC2LP
DUAL TANDEM ★ 15K AXLES



SPECIFICATIONS

AXLES:	(2) 15000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	215/75/R17.5 H-RATED 16 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	17.5" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$30,887

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 30,000#

RANCH KING
TRAILERS

Standard Dimensions = 31' + 5'
GNLS36★30DKC2LP
DUAL TANDEM ★ 15K AXLES



SPECIFICATIONS

AXLES:	(2) 15000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	215/75/R17.5 H-RATED 16 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	17.5" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$31,487

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 30,000#

RANCH KING
TRAILERS

Standard Dimensions = 35' + 5'
GNLS40★30DKC2LP
DUAL TANDEM ★ 15K AXLES



SPECIFICATIONS

AXLES:	(2) 15000# DEXTER OIL BATH AXLES
BRAKE:	(2) ELECTRIC BRAKING AXLES
COUPLER:	2-5/16" ADJUSTABLE GN COUPLER 30K CAP
CROSS MEMBERS:	3 X 2 RECT TUBING ON 16" CENTERS
FENDERS:	3/16" HEAVY DUTY DIAMOND PLATE
FLOOR:	2X8 TREATED WOOD FLOOR
FRAME:	LOW PROFILE PIERCED I BEAM FRAME
JACK:	25K 2 SPEED LANDING GEAR
LIGHTS:	RUBBER MOUNTED AND SEALED LED
PAINT:	EPOXY PRIMER - URETHANE 4:1 PAINT
TIE DOWN:	STAKE POCKETS AND WINCH RAIL
TIRES AND WHEELS:	215/75/R17.5 H-RATED 16 PLY RADIAL
NECK:	HIGH TENSILE I-BEAM
CHAINS:	3/8 SAFETY CHAINS
STORAGE:	48" UNDER BODY & FRONT TOOLBOXES
MOUNT:	SPARE TIRE MOUNT IN NECK
WHEEL:	17.5" BLACK DUAL WHEELS (8-LUG)
SUSPENSION:	HUTCH
PREP:	COMMERCIAL BLAST
HIGH TENSILE:	CERTIFIED MILL SPEC A25 GRAND STEEL
RAMP:	2 X HD KING RAMPS
I BEAM:	W12 X19#(UP TO 32') W12 X 22#(36' AND 40')
PRIMER:	EPOXY PRIMER
WIRING:	SEALED HARNESS RAN THROUGH FRAME

RETAIL PRICE

\$32,361

PRICE INCLUDES SPARE TIRE



★INTRODUCING THE NEW KING RAMP★

- SITS FLUSH WITH THE DECK
- SMOOTHER HINGING DESIGN
- HEAVIER RATING WITH LESS STRUGGLE

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT
WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM

LONE STAR SERIES

GVWR 24,000# - 30,000#

RANCH KING
TRAILERS

Standard Featured Options

GNLS ★ DKC2LP

DUAL TANDEM ★ 10 TO 15K AXLES



LONESTAR SERIES OPTIONS MENU

235/80R16 E-RATED 10 PLY	\$185
14 PLY UPGRADE (PER TIRE FROM 10PLY)	\$85
235/85R16 G-RATED 14 PLY	\$225
16 PLY UPGRADE (PER TIRE FROM 14 PLY)	\$95
215/75R17.5 H-RATED 16 PLY	\$479
18 PLY UPGRADE (PER TIRE FROM 16 PLY)	\$224
235/75R17.5 H-RATED 16 PLY	\$600
ADDITIONAL SPARE MOUNT INSTALLED	\$25
5/8" D- RING INSTALLED (PRICE PER)	\$31
3/16" DIAMOND PLATE FLOOR (PER LINEAR FT)	\$140
COMPOSITE LIFETIME FLOOR (PER LINEAR FT)	\$190
BASIC WINCH PLATE - INSTALLED	\$175
12K HYDRAULIC JACK - COMPLETE SET	\$2,400
WELD ON RATCHETS WITH 4" STRAPS	\$125
CUSTOM COLOR	\$500
DECK OVER THE NECK 8' X 8'	\$1,250

LIFETIME STRUCTURAL WARRANTY / LIONSHEAD 1 YEAR TIRE REPLACEMENT WARRANTY / 5 YEAR AXLE WARRANTY / 1 YEAR SUSPENSION WARRANTY

WWW.RANCHKING.COM